according to Regulation (EC) No. 1907/2006



## DASH ALPEN FRISCHE VOLLWASCHMITTEL

Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : DASH ALPEN FRISCHE VOLLWASCHMITTEL

Unique Formula Identifier

(UFI)

: TP13-M00C-P00P-PH0D

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Home care

stance/Mixture Washing powders, detergents and cleaning agents

1.3 Details of the supplier of the safety data sheet

Dalli-Werke GmbH & Co.KG Manufacturer

> Zweifaller Straße 120 D-52224 Stolberg Tel.: 0049 (0)2402 8900

E-mail address of person

responsible for the SDS

dalli-msds@dalli-group.com

## 1.4 Emergency telephone number

Informationszentrale gegen Vergiftungen Klinik und Poliklinik für Allgemeine Pädiatrie Zentrum für Kinderheilkunde, Universitätsklinikum Bonn Gebäude 30, ELKI (Eltern-Kind-Zentrum) Venusberg-Campus 1

53127 Bonn

Notruf: +49-228-19 24 0

Fax: +49-228-28 7-3 32 78 / +49-228-28 7-3 33 14

Email: gizbn@ukb.uni-bonn.de

http://www.gizbonn.de

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

REGULATION (EC) No 1272/2008

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. (Cal-

culation method)

REGULATION (EC) No 1272/2008

Eye irritation, Category 2 H319: Causes serious eye irritation. (Expert



## DASH ALPEN FRISCHE VOLLWASCHMITTEL

Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

judgement and weight of evidence determination (DetNet).)

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

REGULATION (EC) No 1272/2008

Hazard pictograms

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

Prevention:

P261 Avoid breathing mist/vapours.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P337 + P313 If eye irritation persists: Get medical advice/

attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Disposal:

P501 Dispose of contents/container in accordance with re-

gional regulation.

### Hazardous components which must be listed on the label:

**METHYLISOTHIAZOLINONE** 

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Washing powders, detergents and cleaning agents

Components

Chemical name CA	S-No. Clas	assification C	oncentration
------------------	------------	----------------	--------------



# DASH ALPEN FRISCHE VOLLWASCHMITTEL

Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

	EC-No.		(% w/w)
	Index-No. Registration number		
Alcohols, C10-18, ethoxylated	157627-86-6 500-337-8 Exempted (Polymer)	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 10 - < 20
BENZENESULFONATE 2	68411-30-3 270-115-0 01-2119489428-22	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 10
	2682-20-4 220-239-6 613-326-00-9 Exempted	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH208, EUH071  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1  specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %  Acute toxicity estimate  Acute oral toxicity: 100 mg/kg	>= 0,0025 - < 0,025

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.



Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

In case of skin contact Wash off with soap and plenty of water.

If skin irritation persists, call a physician.

In case of eye contact Protect unharmed eye.

If eye irritation persists, consult a specialist.

Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

If swallowed Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person. If accidentally swallowed obtain immediate medical attention. Gently wipe or rinse the inside of the mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment For specialist advice physicians should contact the Poisons

Information Service.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Use non-slip safety shoes in areas where spills or leaks can

occur.



Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

No special environmental precautions required.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

## 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

No special handling advice required.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store at room temperature in the original container.

Advice on common storage : No materials to be especially mentioned.

Storage class (TRGS 510) : 10-13, German Storage Class 10 to 13

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
SODIUM C10-13 ALKYL BENZENESULFONA TE	Workers	Inhalation	Long-term systemic effects, Long-term local effects	6 mg/m3
	Workers	Skin contact	Long-term systemic effects	85 mg/kg
	Consumers	Inhalation	Long-term systemic effects, Long-term	1,5 mg/m3



Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

		local effects	
Consumers	Skin contact	Long-term systemic effects	42,5 mg/kg

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
SODIUM C10-13 ALKYL	Fresh water	0,268 mg/l
BENZENESULFONATE		
	Marine water	0,027 mg/l
	Fresh water sediment	8,1 mg/kg
	Marine sediment	6,8 mg/kg
	Soil	35 mg/kg

#### 8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Remarks : not required
Skin and body protection : not required
Respiratory protection : not required

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : blue
Odour : odourized
Odour Threshold : Not relevant

Melting point/range : not determined

Boiling point/boiling range : not determined

Upper explosion limit / Upper :

flammability limit

not determined

Lower explosion limit / Lower :

flammability limit

not determined

Flash point : > 60 °C

Auto-ignition temperature : not determined

Decomposition temperature : No data available

pH : 8,7 - 9,1 (20 - 25 °C)

Concentration: 100 %

Viscosity

Viscosity, dynamic : Not relevant

Viscosity, kinematic : not determined

according to Regulation (EC) No. 1907/2006



## DASH ALPEN FRISCHE VOLLWASCHMITTEL

Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Density : 1,009 - 1,019 g/cm3 (23 °C)

Bulk density : Not applicable

Relative vapour density : No data available

9.2 Other information

Explosives : Not applicable

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Not classified as supporting combustion according to the

transport regulations.

Evaporation rate : Not relevant

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Stable under recommended storage conditions.

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

10.5 Incompatible materials

Materials to avoid : No data available

## 10.6 Hazardous decomposition products

No hazardous decomposition products are known.



## DASH ALPEN FRISCHE VOLLWASCHMITTEL

Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

### **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

**Components:** 

Alcohols, C10-18, ethoxylated:

Acute oral toxicity : LD50 Oral (Rat): > 300 - 2.000 mg/kg

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

**SODIUM C10-13 ALKYL BENZENESULFONATE:** 

Acute oral toxicity : LD50 Oral (Rat): 1.080 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

**METHYLISOTHIAZOLINONE:** 

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Remarks : According to the classification criteria of the European Union,

the product is not considered as being a skin irritant.

**Components:** 

Alcohols, C10-18, ethoxylated:

Assessment : No skin irritation Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

**Product:** 

Remarks : Eye irritation

**Components:** 

Alcohols, C10-18, ethoxylated:

according to Regulation (EC) No. 1907/2006



## DASH ALPEN FRISCHE VOLLWASCHMITTEL

Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

**Species** Rabbit Method **Draize Test** 

Result Irreversible effects on the eye

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

### Respiratory sensitisation

Not classified based on available information.

#### **Product:**

Remarks May cause sensitisation of susceptible persons by skin con-

tact.

### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Further information**

### **Product:**

Remarks Health injuries are not known or expected under normal use.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

## **Components:**

### Alcohols, C10-18, ethoxylated:

Toxicity to fish LC50 (Brachydanio rerio (zebrafish)): > 1 - 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l

Exposure time: 48 h aquatic invertebrates



Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

**SODIUM C10-13 ALKYL BENZENESULFONATE:** 

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,67 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): 2,4 mg/l

Exposure time: 72 h

**METHYLISOTHIAZOLINONE:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

M-Factor (Acute aquatic tox- :

icity)

(Daphnia (water flea)): Exposure time: 72 h

10

M-Factor (Chronic aquatic

toxicity)

: 1

## 12.2 Persistence and degradability

### **Product:**

Biodegradability : Remarks: The surfactant(s) contained in this mixture com-

plies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent

manufacturer.

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

## 12.6 Endocrine disrupting properties

No data available



## DASH ALPEN FRISCHE VOLLWASCHMITTEL

Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

#### 12.7 Other adverse effects

**Product:** 

mation

Additional ecological infor- : There is no data available for this product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

In accordance with local and national regulations.

Contaminated packaging Empty remaining contents.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Waste Code The waste is hazardous waste pursuant to EU legislation. The

waste code is to be defined in accordance with national legis-

lation and the intended purpose.

### **SECTION 14: Transport information**

## 14.1 UN number or ID number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

## 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Remarks Not classified as dangerous in the meaning of transport regu-

lations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57).



Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

Not applicable

dangerous substances.

Water hazard class (Germa:

ny)

WGK 2 obviously hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) Total dust:

Not applicable

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

Not applicable Organic Substances:

Not applicable

Carcinogenic substances:

Not applicable Mutagenic: Not applicable Toxic to reproduction:

Not applicable

Occupational Illnesses (R-

461-3, France)

Not applicable

Volatile organic compounds Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,07 %

### 15.2 Chemical safety assessment

There is no data available for this product.

#### **SECTION 16: Other information**

### **Full text of H-Statements**

H301 Toxic if swallowed. Harmful if swallowed. H302 H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

Causes skin irritation. H315

May cause an allergic skin reaction. H317 H318 Causes serious eye damage.

H330 Fatal if inhaled.

Very toxic to aquatic life. H400

Very toxic to aquatic life with long lasting effects. H410 Harmful to aquatic life with long lasting effects. H412

Corrosive to the respiratory tract. EUH071 May produce an allergic reaction. EUH208

### Full text of other abbreviations

according to Regulation (EC) No. 1907/2006



## DASH ALPEN FRISCHE VOLLWASCHMITTEL

Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern: TCSI - Taiwan Chemical Substance Inventory: TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Classification of the mixture:

Classification procedure:

Skin Sens. 1 H317 Calculation method

Eye Irrit. 2 H319 Expert judgement and weight of evidence determination (DetNet).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

according to Regulation (EC) No. 1907/2006



# DASH ALPEN FRISCHE VOLLWASCHMITTEL

Version 1.0 SDS Number: S1021194 Revision Date: 04.04.2022

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN